

<b>L Number</b>	<b>Hits</b>	<b>S arch T xt</b>	<b>DB</b>	<b>Tim stamp</b>
<b>1</b>	<b>2</b>	<b>("6360035").PN.</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/17 10:40</b>
<b>2</b>	<b>659</b>	<b>micron near3 c ndu t r</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/17 10:41</b>
<b>5</b>	<b>1</b>	<b>(micron near3 conductor) and (((385/18).CCLS.) xor ((385/14).CCLS.) xor ((359/223).CCLS.) xor ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.))</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/17 10:42</b>
<b>6</b>	<b>44832</b>	<b>microelectronic</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/17 10:42</b>
<b>7</b>	<b>87</b>	<b>(micron near3 conductor) and microelectronic</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/17 10:42</b>
<b>-</b>	<b>167481</b>	<b>electrostatic\$4</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 11:17</b>
<b>-</b>	<b>36599</b>	<b>ceramic near3 substrate</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 10:50</b>
<b>-</b>	<b>25198</b>	<b>conductor with hole</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/16 11:30</b>
<b>-</b>	<b>26709</b>	<b>rotat\$4 near3 mirror</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/16 11:29</b>
<b>-</b>	<b>531891</b>	<b>silicon</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 10:51</b>
<b>-</b>	<b>3345</b>	<b>flatness with substrate</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 10:51</b>
<b>-</b>	<b>6799</b>	<b>roughness with substrate</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/16 11:39</b>
<b>-</b>	<b>4093</b>	<b>electrostatic\$4 and (rotat\$4 near3 mirror)</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 11:18</b>
<b>-</b>	<b>109</b>	<b>electrostatic\$4 and (ceramic near3 substrate) and (conductor with hole)</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 11:18</b>
<b>-</b>	<b>3</b>	<b>(electrostatic\$4 and (ceramic near3 substrate) and (conductor with hole)) and (rotat\$4 near3 mirror)</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 11:38</b>
<b>-</b>	<b>62</b>	<b>(conductor with h l ) and (r tat\$4 n ar3 mirror)</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 13:49</b>
<b>-</b>	<b>16584</b>	<b>"m ms"</b>	<b>USPAT; US-PGPUB; DERWENT</b>	<b>2002/10/15 13:49</b>

-	2	((conductor with h le) and (r tat\$4 n ar3 mirror)) and "m ms"	USPAT; US-PGPUB; DERWENT	2002/10/15 13:50
-	294	"mems" and (r tat\$4 near3 mirr r)	USPAT; US-PGPUB; DERWENT	2002/10/15 13:51
-	2	("5995688").PN.	USPAT; US-PGPUB; DERWENT	2002/10/15 13:51
-	405	(385/18).CCLS.	USPAT; US-PGPUB; DERWENT	2002/10/15 13:54
-	1383	(385/14).CCLS.	USPAT; US-PGPUB; DERWENT	2002/10/15 13:54
-	502	(359/223).CCLS.	USPAT; US-PGPUB; DERWENT	2002/10/15 13:54
-	408	(359/224).CCLS.	USPAT; US-PGPUB; DERWENT	2002/10/15 13:54
-	138	(359/225).CCLS.	USPAT; US-PGPUB; DERWENT	2002/10/15 13:54
-	155	(359/226).CCLS.	USPAT; US-PGPUB; DERWENT	2002/10/15 13:54
-	2583	((385/18).CCLS.) xor ((385/14).CCLS.) xor ((359/223).CCLS.) xor ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.)	USPAT; US-PGPUB; DERWENT	2002/10/17 10:41
-	440	(rotat\$4 near3 mirror) and (((385/18).CCLS.) xor ((385/14).CCLS.) xor ((359/223).CCLS.) xor ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.))	USPAT; US-PGPUB; DERWENT	2002/10/16 11:30
-	1	((rotat\$4 near3 mirror) and (((385/18).CCLS.) xor ((385/14).CCLS.) xor ((359/223).CCLS.) xor ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.))) and (conductor with hole)	USPAT; US-PGPUB; DERWENT	2002/10/16 13:54
-	0	((rotat\$4 near3 mirror) and (((385/18).CCLS.) xor ((385/14).CCLS.) xor ((359/223).CCLS.) xor ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.))) and (roughness with substrate)	USPAT; US-PGPUB; DERWENT	2002/10/16 11:41
-	8	((rotat\$4 near3 mirror) and (((385/18).CCLS.) xor ((385/14).CCLS.) xor ((359/223).CCLS.) xor ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.))) and (roughness with surface)	USPAT; US-PGPUB; DERWENT	2002/10/16 11:41
-	8	((r tat\$4 near3 mirr r) and (((385/18).CCLS.) x r ((385/14).CCLS.) x r ((359/223).CCLS.) xor ((359/224).CCLS.) x r ((359/225).CCLS.) x r ((359/226).CCLS.))) and (roughn ss with surface)	USPAT; US-P PUB; DERWENT	2002/10/16 11:41

-	21	(((385/18).CCLS.) x r ((385/14).CCLS.) xor ((359/223).CCLS.) x r ((359/224).CCLS.) x r ((359/225).CCLS.) x r ((359/226).CCLS.)) and (roughness with substrate)	USPAT; US-PGPUB; DERWENT	2002/10/16 13:07
-	161	(((385/18).CCLS.) x r ((385/14).CCLS.) x r ((359/223).CCLS.) x r ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.)) and ((metal near2 layer) with (surface or substrate))	USPAT; US-PGPUB; DERWENT	2002/10/16 13:42
-	14	(((385/18).CCLS.) xor ((385/14).CCLS.) xor ((359/223).CCLS.) xor ((359/224).CCLS.) xor ((359/225).CCLS.) xor ((359/226).CCLS.)) and (conductor with hole)	USPAT; US-PGPUB; DERWENT	2002/10/16 13:55